CUMULATIVE INDEX 1998

Volume 33

March	SUBSTANCE ABUSE INTERVENTIONS IN GENERAL NURSING PRACTICE, pages 1–118
	MENTAL HEALTH NURSING INTERVENTIONS FOR THE GENERALIST NURSE, pages 119–237
June	ETHICS FOR NURSING PRACTICE, pages 239–386
September	GERIATRIC NURSING, pages 387–571
December	ORTHOPEDIC NURSING, pages 573–736

Note: Page numbers of article titles are in **boldface** type.

Abuse, physical. See *Violence, family.*
Acupuncture, in treatment of addiction, 10
Addicted clients, communication with, 5, 6
  cultural sensitivity and competence with, 11, 12
  nurse's role in helping, 6–11
  pain management in, 53–58
  treatment of, referrals for, 57, 58
Addiction. See also *Substance abuse.*
  biopsychosocial model of, 4, 5
  brief interventions for, nurse's role in, 9–11
  to crack cocaine, three-stage model of recovery from, 24, 25
  essential concepts of, **1–13**
  among nurses. See also *Impaired nursing practice.*
    scope and impact of, 106, 107
  pain management and, 51–53
    myths related to, 49–51
  physical dependence and, 49, 50
  prevention of, nurse's role in, 7, 8
  process of, 2, 3
  screening and detection of, nurse's role in, 8, 9
  theory of, 4, 5
  treatment of, acupuncture in, 10
    behavior-based, 10, 11
    nurse's role in, 9–11
    pharmacotherapeutic, 10
    relapse prevention in, 11
Addiction Research Foundation Clinical Institute Withdrawal Assessment-Alcohol, 77, 82, 83
Adolescents, smoking cessation intervention in, 68–71
  sports injuries in. See *Sports injuries in adolescents.*
  substance abuse by. See *Substance abuse, by adolescents.*
Advanced practice nurse in geriatrics, 485
Affective disorders, psychotropic medications in, 218–220
African Americans, psychotropic drug reactions in, 229
Aggression, 122
Aging, rethinking, 388–390
Alcohol, adolescent use of, 30
  family violence and, 204
  relationship with injury, 93, 94
  withdrawal from, 83–87
Alcohol drinkers, types of, 94, 95
Alcohol-related injuries, brief intervention after, **93–104**
  ambivalence in, 97, 98
  efficacy of, 98, 98
  giving advice in, 100, 101
  key elements of, 96, 97
  negotiating a plan in, 101, 102
  procedures in, 98–100
  providing feedback in, 100
Alendronate, in osteoporosis, 579
Alkaline phosphatase, testing, 693–694
Alzheimer's disease, 228
Ambulatory care, musculoskeletal problems in, 649–650
American College of Rheumatology, criteria for fibromyalgia, 659
Amphetamines, adolescent use of, 31
  withdrawal from, 90, 91
Amputation prevention in diabetics. See *Diabetic foot, amputation prevention.*

Anabolic steroids, adolescent use of, 31
Anemia, in pregnant women with spinal cord injuries, 607
Angeli, Jacques, 560
Anger, 121, 122. See also *Anger disorders.*
  assessment of, 123–125
  gender issues in, 124, 125
  theories about, 122, 123
Anger disorders, **121–133**
  community resources for, 131
  diagnosis, 125, 126
  nursing interventions for, 126–131
    for anger directed inward, 129
    for chronically angry patient, 127, 128
    for excess outwardly directed anger, 120, 129
    for ineffective expression of anger, 128, 129
    initial, 127
Animals, companion. See *Companion animals.*
Ankles, examination, 648
  injuries in adolescent athletes, 620
Ankylosing spondylitis, rheumatoid arthritis versus, 598
Anorexia nervosa, osteoporosis and, 576, 578
Anterior cruciate ligament injuries, in adolescent athletes, 621
Antibiotic prophylaxis, in orthopedic surgery, 675–676
Antidepressants, 218–221
  atypical, 219, 221
  tricyclic, 218, 219
    in fibromyalgia syndrome, 664–665
Antinuclear antibodies test, 596
Antipsychotic medications, 223–226
Anxiety. See also *Anxiety disorders.*
  in elderly, versus delirium, 421, 422
  as nursing diagnosis, 137
  nursing theory in assessment of, 137, 138
  and panic, nursing management of, **135–151**
  symptoms of, versus anxiety disorders, 135, 136
Anxiety disorders, 223, 227
  assessment of, 137–142
  community self-help groups for, 150
  etiology of, 141, 142
  generalized, 138, 223
  from general medical condition, 140, 141
  prevalence of, 136
  professional bias against, 136, 137
  professional help for, 149, 150
  referrals for, 149, 150
  separation, 141
  stigma of, 136, 137
  treatment of, 142–149
    behavioral, 147, 148
    cautions in, 144
    cognitive, 148, 149
    nonpharmacologic, 144–149
    patient education in, 144–146
    pharmacologic, 142–144, 223, 227
    sensory, 146
  types of, 138–141
  undertreatment of, 143
Anxiolytic drugs, 227
Aromatherapy, for anxiety disorders, 146
Arthritis, rheumatoid, case study, **595–602**
Arthroplasty, infection incidence in, 672
Arthroscopy, infection incidence in, 672
Ashkenazi Jews, psychotropic drug reactions in, 229
Asians, psychotropic drug reactions in, 229
Attention deficit hyperactivity disorder (ADHD), 228
Autonomic hyperreflexia, in pregnant women with spinal cord injuries, 609–610
Autonomy of elderly. See *Elder autonomy.*
Avicenna, theory of aging of, 559

Back pain, low. See *Low back pain.*
Bacon, Roger, 559, 560, 564
Benzodiazepines, for treatment of alcohol withdrawal, 84–87
Biomedical perspectives, 715–716
  on low back pain in pregnancy, 718–723
Bipolar disorder, 156
Bisphosphonates, in osteoporosis, 579
Blood urea nitrogen, testing, 694–695
Bonaventure, Saint, theory of aging of, 559
Bone physiology, 574
Bone scans, 698–699
Bowel function, in pregnant women with spinal cord injuries, 607
Brachial plexus injuries, in newborns, 587–589

Calcaneovalgus foot, 589, 590–591
Calcitonin, in osteoporosis, 579
Calcium, in osteoporosis, 575, 577–578
  testing for, 692–693
Calgary Family Assessment Model, for families and communities, 23
Canon Medicinae, 559
Caps, surgical, 678
Cardiovascular complications, prevention in pregnant women with spinal cord injuries, 605–606
Charcot joint deformity, 630
Chemical dependence, 1, 2. See also *Addiction.*
Child abuse. See also *Violence, family.*
  mental health interventions for victim of, 211

Children, psychotropic drug reactions in, 229
Chromosomes, 278
Cigarette smoking. See *Smoking; Smoking cessation.*
Cigar smoking, by adolescents, 70
Clinical ethics program, background of, 300, 301
Clonidine, in treatment of opioid withdrawal, 89
Clubfoot, 589, 591
Cocaine, crack. See *Crack cocaine.*
  withdrawal from, 90, 91
Code of Ethics for Nurses, 288
Cognitive assessment, in elderly, **395–405**
  calculation, 402
  confused behavior, 402
  content, 398–400
  domains, 399–404
  functional status, 399, 400
  general appearance, 399
  intellect, 402
  judgment, 404
  level of awareness, 401
  memory, 402
  mood and affect, 402, 403
  motor behaviors, 399
  orientation, 401, 402
  perceptual patterns, 402
  skills needed for, 396–398
  speech patterns, 399
  thought processes, 403
Companion animals, **701–711**
  as source of social support, 703–705
    in orthopedic patients, 706–708
Complete blood count, in rheumatoid arthritis, 597, 600
Computed tomography, 690–691
Conduct disorder, in adolescents, as risk factor for substance abuse, 36
Contusions, quadriceps, in adolescent athletes, 625
Crack cocaine, prenatal use of, contextual issues, 16–18
  criteria for identification of, 19, 20
  dimensions of problem, 16–19
  family and community assessment, 23
  family and environmental issues, 18
  gender differences and, 18, 19
  high-risk behaviors and, 17
  individual issues, 17, 18
  interventions, **15–27**
  major indicators of, 19, 20
  medical and contextual consequences of, 15, 16
  nursing assessment approaches, 20–25
  physical assessment, 21–23
  potential cardiovascular complications, 22, 23
  psychological assessment, 20, 21
  recommendations and goals for treatment, 23–25
  substance use assessment in, 20, 21
  three-stage model of recovery, 24, 25
C-reactive protein, 688–689
Creatine kinase, testing, 693–694
Creatinine ratio, testing, 694–695
Cyclobenzaprine, in fibromyalgia syndrome, 665

Decision making, ethical. See *Ethical decision making.*
Decubitus ulcers, in pregnant women with spinal cord injuries, 608
De cura lapidis ad Cardinalem Bessarionem, 560
Delirium, in elderly, **417–440**
  causes and contributing factors, 426–432
  clinical manifestations, 418–420
  clinical subtypes, 420, 421
  Confusion Assessment Method in assessment of, 423, 426
  dehydration and, 438, 439
  dementia, depression, psychosis, and anxiety versus, 421, 422
  detection of, 424–426
  electrolyte and metabolic disturbances and, 439
  hypoxemia and, 438
  infection and, 439, 440
  medications and, 437
  nursing guide for evaluation of causes of, 437–440
  nursing strategies, 431, 432
  pain and, 437, 438
  pharmacologic treatment, 432
  physiologic aspects, 427–429
  prediction of, 423, 424
  psychosocial and environmental aspects, 429–432
Delusional disorder, versus schizophrenia, 220, 221
Delusions, in psychotic patients, 197
Dementia, versus depression, 161
Dementia Mood Assessment Scale, 407, 410–412
Depression, actions in, 158
  in adolescents, 35, 36, 626
  anger in, 125
  assessment, 160–167
  body sensations and processes in, 159, 160
  comorbid conditions in, 166
  crack cocaine use and, 20
  danger in, 163
  definition of, 155–157
  dementia versus, 161

Depression (*continued*)
in elderly, assessment of, current standard of, 409, 410
Dementia Mood Assessment Scale in, 410–412
differentiated nursing, **407–416**
Hamilton Rating Scale for Depression in, 410–412
importance of assessing symptoms, 408, 409
delirium versus, 421, 422
ethnic, cultural, gender, and social factors in, 166
feelings in, 158
functional impairment in, 166
grief versus, 161, 162
as health problem, 156
interpersonal relations in, 158, 159, 163, 166
interventions for, examples of, 169
orientation phase of, 160–167
resolution in, 170
theory-guided, 160–170
working phase of, 167–170
nurse-client relationship and, theoretical framework of, 154, 155
as psychiatric disorder, 156
referrals for, 167, 168
risk factors for, 161, 163
self dimensions in, 163
sleeping and eating disturbances in, 159, 160
spiritual health and, 166
symptoms, 163–165
thinking processes in, 157
as transient feeling, 155, 156
treatment of, through therapeutic nurse-client relationship, **153–172**
De senectute conservanda, 558
Detoxification, 75, 76
outpatient, 85, 86
Developmental dysplasia of hip, 585–587
DEXA, 576–577
Diabetic foot, amputation prevention, **629–641**
epidemiology, 629
guidelines, 633–634
pathophysiology and, glucose control, 632
modifiable risk factors, 632–633
neuropathy, 629–631
peripheral vascular disease, 631
wound healing, 631–632
patient education, 634–637
risk factor reduction, 637
ulcer treatment, 637–639
Diagnostic procedures in orthopedic nursing. See *Testing, in orthopedic nursing*.
Domestic violence. See *Violence, family*.
Drug withdrawal, alcohol, 83–87
assessing signs and symptoms of, 77–83
determining level of care for, 77, 83, 84
drug and alcohol history in treatment of, 76, 77
nursing assessment, 76
nursing management, 77
opioids, 87–90
sedative hypnotics, 86, 87
stimulants, 90, 91
treatment of, 91
Dual energy x-ray absorptiometry, 576–577
Dysthymic disorder, 156

Eating disorders, osteoporosis and, 576, 578
Eating problems, in elderly, new approaches to, 391, 392
Ecchymoses, 649
Economics, of infections in orthopedic surgery, 672
Education, patient, in diabetic foot disease, 634–637
in fibromyalgia syndrome, 664
Elbows, examination, 647
injuries in adolescent athletes, 623
Elder autonomy, 267
cultural differences and, 272
definition of, 266–268
depression and, 271, 272
issues for nurses, **265–274**
limitations on, 268–270
nurse as patient advocate and, 272
perceived meaning of life and, 265, 266
research in, 270–272
traditional versus care ethic in, 268
Elderly, abuse and neglect in, 457–460. See also *Neglect, in elderly*.
age-specific evaluation of, 523–527
emotional, 526
physiological, 523, 524
psychosocial, 525, 526
safety issues, 524, 525
teaching issues, 527
acute care for, patient-centered model of, **515–521**
environmental design in, 516, 517
functional assessment in, 517
interdisciplinary team assessment in, 518–520
interdisciplinary team rounds in, 520, 521
nursing protocols in, 517, 518
cognitive assessment in. See *Cognitive assessment*.
cognitive impairment in, new approaches to, 392, 393
community-dwelling, depressive symptoms in, differentiated nursing assessment of, **407–416**
compliance issues with, **467–480**

family violence against, interventions for, 211
heart failure in. See *Heart failure in elderly.*
historical perspective on, **557–568**
coitus, 562, 563
environment, 561, 562
excretions, 562
food and drink, 562
humoral doctrine, 558, 559
medicines, 564–566
old age as normal stage of life, 559, 560
psychotherapy, 564
quest for eternal youth in medieval times, 566, 567
regimina and *consilia*, 557, 558
specific diseases, 560, 561
theory of "nonnaturals," 561, 564
wine, 562
mistreatment of, 457–461
neglect in, **457–466**
nurses' ethical responsibility in care for, 544, 545
psychotropic drug reactions in, 229
smoking cessation intervention in, 67
syndromes of, 390–393
Electrolytes, testing, 687, 690–693
Engagement model of neonatal assessment, with uncertain prognosis, 289–293
Enzymes, testing, 687, 693–694
Epicondyle injuries, in adolescent athletes, 623
Erb-Duchenne-Klumpke injury, 587
Erb's palsy, 587
Ergogenic aids, in adolescent athletes, 625–626
Erythrocyte sedimentation rate, 688–689
in rheumatoid arthritis, 596–597, 600
Estrogen, in osteoporosis, 574–575
Estrogen replacement therapy, in osteoporosis, 577
Ethical decision making, determinants of, 546–549
educational variables, 547, 548
environmental variables, 548
personal variables, 548, 549
in health care, changing health care structures and, 380–382
future of, **373–384**
interprofessional cooperation and, 378–380
nature of, 288
principilism in, 375, 376
relevance to clinical problems, 374, 375
problems related to, 545, 546
promotion of, 549–553
educational strategies for, 550–551
professional empowerment in, 551–553
supporting nurses in, **543–555**
Ethical environment of health care services, ability to engage in ethics deliberations in, 366, 367
administrative support in, 367, 368
background of, 363–366
definition of, 364, 365
discussion of, 370–371
Ethics Environment Questionnaire (EEQ) in assessment of, 365, 366
findings on, 366–370
policies and procedures in, 368, 369
Ethics committees, institutional, changing of, 376–378
purpose of, 378, 379
structure of, 376, 377
Ethics Environment Questionnaire (EEQ), 365, 366
Ethics program, clinical, data analysis in, 303, 304
data collection in, 302, 303
discussion in, 306–310
exploratory analyses in, 305, 306
findings of, 304–306
hypothesized outcomes in, 304, 305
methods in, 302–304
for nurses, **299–311**
purpose and design of, 301
Ethnic and cultural factors, in delivery of nursing care interventions, **353–361**
Examination. See *Physical examination.*
Exercise, in fibromyalgia syndrome, 665
in osteoporosis, 578

Face masks, surgical, 678
Falls, prevention of, 578
Fatigue, in fibromyalgia syndrome, 657
Feeding problems, in elderly, new approaches to, 391, 392
Feet, abnormalities in newborns, 589–591
diabetic. See *Diabetic foot.*
examination, 648
Female athlete triad, 625
Feminist perspectives, 716–717
on low back pain in pregnancy, 718–723
Femur injuries, in adolescent athletes, 624
Fetus, in maternal spinal cord injury, 606–607
Fibromyalgia syndrome, **653–669**
American College of Rheumatology criteria, 659
as diagnosis of exclusion, 654–656
etiology, 662–664
evolution into accepted diagnosis, 660–662
negative findings, 656
objective findings, 655, 658–660
subjective findings, 655, 656–658
treatment, 664–666
Ficino, Marsilio, 558

Fluoxetine, in fibromyalgia syndrome, 665
Foot. See *Feet*.
Fractures, scaphoid, in adolescent athletes, 622–623

Gait, unstable, in elderly, 392
Galen, theory of aging of, 559, 560
Garcia Carrero, Pedro, 559
Gateway drugs, 30
Genes, 277
Genetics, in osteoporosis, 575
  scientific bases of, 277, 278
Genetic testing, 278–283
  and allocation of health care resources, 280
  for carriers, 281, 282
  for disease, 278–281
  ethical implications of, **275–286**
  prenatal, 282, 283
  purpose and meaning of, 283–285
Geriatric nursing, care goals in, 389, 390
  interdisciplinary mandate in, 388, 389
  rethinking, **387–394**
Geriatric resource nurse, 483–485
Geriatric resource nurse model of care, **481–496**
  in California, 486–488
  evolution of, 493, 494
  factors influencing success of, 492, 493
  in Iowa, 488–490
  overview of, 483
  potential challenges of, 493
  roles of team members in, 483–486
  in Virginia, 490–492
Gerontocomia, scilicet de senium cura atque victu, 558
Gloves, 679
Glucose control, in diabetic foot disease, 632
Gordon, Bernard de, 561
Gout, rheumatoid arthritis versus, 599
  testing for, 695
Gowns, surgical, 678–679
Grief, versus depression, 161, 162

Hair removal, in orthopedic surgery, 680
Hallucinations, in psychotic patients, 197
Hamilton Rating Scale for Depression, 407, 410–412
Hand and wrist examination, 647–648
Hand injuries, in adolescent athletes, 622–623
Hand scrub, surgical, 679–680
Heart failure in elderly, advocacy for, 502, 503, 508, 509
  assessing patient needs, 498–504
  care needs, 498–502
    barriers to meeting, 510, 511
  counseling for, 507
  discharge planning and home follow-up of, **497–513**
  emotional status assessment, 500, 501
  evaluating plan of care, 510, 511
  facilitators of plan of care, 510
  functional status assessment, 501, 502
  home environment assessment, 502
  interventions, 504–509
  knowledge needs, 503, 504
  physical status assessment, 498–500
  providing direct care, 504–507
  teaching for, 507, 508
Heroin, adolescent use of, 31
  withdrawal from, 87–90
Hips, developmental dysplasia, 585–587
  examination, 648–649
  injuries in adolescent athletes, 624
Hohenheim, Theophrastus Bombastus Paracelsus von, 567
Hornecke, Burchard, 558, 560, 567
Horner's syndrome, brachial plexus injury and, 587, 588
Hostility, 122
Human Genome Project, 277
Huntington's disease, 276, 279
Hyperactivity, in adolescents, as risk factor for substance abuse, 35, 36
Hypercalcemia, testing for, 693
Hyperkalemia, testing for, 691–692
Hypernatremia, testing for, 690–691
Hypertension, in diabetic foot disease, 633
Hypocalcemia, testing for, 693
Hypokalemia, testing for, 692
Hyponatremia, testing for, 691
Hypoxia, prevention in pregnant women with spinal cord injuries, 605

Imaging, 696–699
Immunoglobulins, testing, 689–690
Impaired nursing practice, definition of, 105, 106
  peer responses to, effective, **105–118**
    ineffective, 112, 113
    as intervention, 113, 114
    progress, trends, and challenges in, 115, 116
  recognition of, 107–109
  recovery from, return to practice after, 114, 115
  treatment for, 114
  workplace indicators of, 109–112
    behavioral changes, 110
    changes in appearance, 111, 112
    decreased clinical judgment, 110
    drug diversion, 110, 111
    job performance, 109, 110
    overuse of health care services, 111
    work attendance, 109

Impingement syndrome, shoulder, in adolescent athletes, 623–624
Incontinence, urinary, in elderly, **441–455**
behavioral treatment, 449, 450
epidemiology, 441–445
incidence, 444
quality of life and, 445–447
severity of, 443, 444
treatment, incontinence aids, 451, 452
new approaches, 391
options, 448–451
pharmacologic, 448
seeking, 447, 448
surgical, 448, 449
Infections, in orthopedic surgery, **671–684**
health care economic burden of, 672
host factors influencing, 673–674
incidence of, 672
operating room ventilation systems and, 677
operation-related events influencing, 674–676
pathogenesis of, 672–673
prevention of, 677–680
responsible organisms, 673
testing for, 686, 687–690
urinary tract, in pregnant women with spinal cord injuries, 608–609
Inflammation, testing for, 686, 688–689
Inhalants, adolescent use of, 30, 31
Injuries. See *Alcohol-related injuries; Pregnancy, in women with spinal cord injuries; Sports injuries in adolescents.*
Innocentius VIII, Pope, 558
Intensive care, neonatal. See *Newborns, intensive care of.*
Intravenous drug use, crack cocaine use and, 17, 18

Joint assessment, 644, 645
Joint fluid analysis, 699
Joint motion, of newborns, 585

Klumpke injury, 587
Knees, examination, 648
injuries in adolescent athletes, 621–622

Labor, in women with spinal cord injuries, 610–611
Laboratory tests, in orthopedic nursing. See *Testing, in orthopedic nursing.*
in rheumatoid arthritis, 596–598, 600
Laminar air flow, 677
Leukocyte esterase, testing, 695–696
Libellus de retardandis senectutis accidentibus, 559, 560
Liber de vita producenda sive longa, 558
Lilium medicinae, 561
Lipids, diabetic foot disease and, 633, 637
Lithium, 219, 220, 222
Lorenz of Würzburg, Archbishop, 558
Low back pain, in pregnancy, **713–724**
biomedical and feminist perspectives, 715–723
etiology, 714, 718–719
implications for nurses, 723
measurement, 714, 719
prevalence, 714, 718
treatment, 714–715, 719–723
Lower extremity examination, 648–649
Lupus erythematosus, systemic, rheumatoid arthritis versus, 598

Magnetic resonance imaging, 691–692
Magnus, Albertus, 563
Managed care organizations, 380, 381
Marijuana, adolescent use of, 30
Meniscal injuries, in adolescent athletes, 621
Meperidine, withdrawal from, 87–90
Metatarsus adductus, 589–590
Methadone, in treatment of opioid withdrawal, 89
withdrawal from, 87–90
Methotrexate, in rheumatoid arthritis, 600
Methylprednisolone, in pregnant women with spinal cord injuries, 606
Monoamine oxidase inhibitors, 218, 220
Mood stabilizing drugs, 219, 220, 222
Morphine, withdrawal from, 87–90
Multicultural issues, in delivery of nursing care interventions, **353–361**
case study of, 354–359
implications of, 359, 360
Musculoskeletal examination, **643–653**
in ambulatory care, 649–650
brief screening, 646–649
history taking, 643–646
resources, 650–651
Music therapy, for anxiety disorders, 146

Neck examination, 647
Neglect, in elderly, **457–466**
behavioral strategies, 475
conceptual models, 463, 464
definitions, 467–469
determinants and dynamics, 462, 463, 470–473
educational strategies, 474
Hudson taxonomy and, 459, 461
interventions, 473–477
maintaining treatment compliance and, 476
patient-related factors, 470–472
patterns of, with prescribed drug regimens, 469

Neglect (*continued*)
provider and health care setting factors, 473
remediating compliance problems, 476, 477
risk and vulnerability model, 463, 464
social support interventions, 475, 476
strategies for changing, 474–476
treatment-related factors, 472, 473
Neonates. See *Newborns.*
Neuropathy, diabetic, foot disease and, 629–631
Newborns, intensive care of. See also *Prematurity, extreme.*
assessment of well-being in, 288, 289–293
decision making in, engagement model of assessment and, 289–293
outcomes of, 293, 294
defining futility in, **339–352**
background, 341, 342
caveats, 339–341
criteria for, 347, 348
ethical arguments, 346
need for clear criteria, 344–346
substantive and values criteria, 348
substantive issues, 347
prognostic uncertainty in, assessment in, 289–293
decision-making in, **287–298**
orthopedic problems of, **583–594**
brachial plexus injuries, 587–589
classification, 583–584
developmental dysplasia of hip, 585–587
examination for, 584–585
foot abnormalities, 589–591
Nicotine gum, 63
use by adolescents, 70, 71
Nicotine patch, 62, 63
Nitrites, testing, 695–696
Noncompliance, by elderly, **467–480**
Nurse-physician working relationships, assumptions underlying, 314, 315
collaboration in, 333, 334
communication in, 328, 335
conflicts in, 326–331
in critical care, **325–337**
in early twentieth century, 315
educational approaches in, 334
ethical, and policy issues, 334
in future, 323
historical perspectives on, 315–321
lack of understanding of each other's responsibilities in, 329, 330
in late twentieth century, 315
models of, 321–323
nature of, 325, 326
in 1960s, 315, 316
in 1970s, 316, 317
in 1980s, 317–319
in 1990s, 319–321
organizational culture in, 332, 333
organizational politics and economics in, 330, 331
in patient care, **313–324**
strategies to enhance, 331, 332
trust and integrity in, 329
value conflicts in, 326–328
Nursing case management, conceptual-operational continuum of, 531–533
generic definition of, 532
principles of, 532, 534, 535
client-case manager relationship, 534
client-centered approach, 534, 535
continuity of care, 534
episode-based management, 532
holistic care, 535
promoting self-care, 535
titrating provision and structure, 535
as process, assessment in, 538
implementation and monitoring in, 539
planning in, 538, 539
reassessment and evaluation in, 539, 540
screening and referral in, 537
for psychogeriatric patients and their families, clinical model of, **528–542**
as role, 536–537
as system, 535–536
as technology, 540

Obesity, diabetic foot disease and, 633, 637
Obsessive-compulsive disorder, 223, 227
Opioids, withdrawal from, 87–90
Organ donation, approaching families for, 241, 242
criteria, 242–244
ethical issues, 244–246
factors in family's consent for, 242
identifying potential donors, 241
nurse's role in, 246–249
in acute care hospital setting, **239–251**
organ procurement office's role versus, 248, 249
physician's role versus, 248
procurement of donor organs, 241, 242
scarcity of donor organs, 240, 241
Orthopedic examination, of newborns, 584–585
Orthopedic surgery, infections in. See *Infections, in orthopedic surgery.*
Ortolani maneuver, 586
Osgood-Schlatter disease, in adolescent athletes, 622
Osteoarthritis, rheumatoid arthritis versus, 598
Osteomyelitis, testing in, 688

Osteoporosis in women, **573–582**
definitions/classification, 573–574
epidemiology, 573
nursing responsibilities in, 579–580
physiology, 574
recognizing, 576–577
risk factors, 574–576
treatment, 577–579
Overuse injuries, in adolescent athletes, 622
Oxycodone, withdrawal from, 87–90
Oxymorphone, withdrawal from, 87–90

Pain, in addicted patients, acute, 55, 56
chronic, 54, 55
definitions of terms in, 47, 48
malignant, 48
musculoskeletal, assessment of, 644
in fibromyalgia syndrome, 657
nonmalignant, 48
substance abuse concerns in treatment of, **47–60**
attitudes and forgiveness in, 56, 57
common misconceptions related to, 49–51
Pain management, in addicted patients, 51–56
clock watching behavior in, 50, 51
nonopioid, 55
in patients with chronic pain, 51, 52
Palpation, in sports injury examination, 618
Panic disorder, 20, 140, 223, 227. See also *Anxiety disorders.*
Paranoia, in psychotic patients, 197
Parental influences on adolescents, and risk of substance abuse, 36
Parenting, by women with spinal cord injury, 611
Parsons, Sara, 315
Patellar dislocation, in adolescent athletes, 621–622
Patellofemoral syndrome, in adolescent athletes, 622
Pavlik harness, 587
Peer group influences on adolescents, and risk of substance abuse, 36
Peripheral vascular disease, in diabetes, 631
Personality disorders, 174–176
antisocial, 180–185
aggression in, 183
de-escalating aggression in, 184, 185
diagnostic criteria, 181
interventions, 183–185
manipulation in, 182, 183
self-assessment by nurses, 183, 184
substance abuse in, 182
useful strategies, 184
borderline, 176–180
diagnostic criteria, 177
impulsivity in, 179
limit setting in, 179, 180
patient defense mechanisms in, 177, 178
splitting in, 177–179
support in, 180
nursing care of, in medical-surgical setting, **173–186**
Pets. See *Companion animals.*
Physical examination, for diabetic foot disease, 633–634
musculoskeletal. See *Musculoskeletal examination.*
for orthopedic problems in newborns, 584–585
for sports injuries in adolescents, 617–618
Physician-nurse relationship. See *Nurse-physician working relationships.*
Pitcher's elbow, 623
Point of care testing, 686–687
Posttraumatic stress disorder, 125, 223, 227
Potassium, testing for, 691–692
Pregnancy, crack cocaine use in. See *Crack cocaine, prenatal use of.*
low back pain in. See *Low back pain, in pregnancy.*
smoking cessation intervention in, 66, 67
spinal cord injury in, **603–613**
acute injury during pregnancy, 604–607
complications prevention, 605–606
epidemiology, 603
management, anemia, 607
autonomic hyperreflexia, 609–610
bowel function, 607
decubitus ulcers, 608
preconception care, 607
pulmonary function, 608
spasticity, 608
thrombophlebitis, 609
unattended delivery, 610–611
urinary tract infection, 608–609
parenting, 611
possible fetal effects, 606–607
prevention of additional neurologic injury, 605
reproductive sequelae, 603–604
testing, in rheumatoid arthritis, 597, 600
Prematurity, extreme. See also *Newborns, intensive care in.*
collaboration between parents and medical professionals in, 346, 347
ethical arguments in defining futility in, 346
need for clear criteria for determining futility in, 344–346
treatment responses to, 344–346
treatment until prognosis is certain, 344
trial of therapy for, 344, 348–350
withholding therapy based on birthweight or gestation limits, 343

Principilism, as method of ethical analysis, 375, 376
Pseudogout, rheumatoid arthritis versus, 599
Psoriatic arthritis, rheumatoid arthritis versus, 599
Psychogeriatric patients, nursing case management for, clinical model of, **528–542**
Psychosis, acute, nursing management of, **187–200**
  amphetamine, 91
  assessment, 189–191
  de-escalation of agitation in, 194, 195
  definition of, 188
  differential diagnosis of, 188, 189
  in elderly, delirium versus, 421, 422
  establishing rapport in, 191
  external management of, 195, 196
  hallucinations, delusions, and paranoia in, 197
  interventions, three-stage approach to, 191–196
  in major mental illness, 188
  mental status examination in, 189, 190
  preventing crises in, 192, 193
  referrals and community resources for, 198, 199
  related to general medical condition, 189
  safety issues in, 190, 191
  suicide assessment in, 196, 197
Psychotropic drug reactions, in children and adolescents, 228
  cultural, ethnic, and age factors in, 229
  in elderly, 228
  nursing management of, **217–231**
    for affective disorders, 218–220
    for schizophrenia, 220, 221, 223
Pulmonary function, in pregnant women with spinal cord injuries, 608
Puncta angelica, 560

Quadriceps injuries, in adolescent athletes, 624–625

Radiographs, in rheumatoid arthritis, 597, 599, 600
  skeletal, 690–691
Radiology, 696–699
Radionuclide imaging, 698–699
Rafozilene, in osteoporosis, 579
Range of motion, in rheumatoid arthritis, 596
  in sports injury examination, 618
Rehabilitation, caring in, administrative perspective on, 260–262
  conflicting administrative duties and, 260, 261
  consequences of a relationship, 256, 257
  dimensions of, 254, 255
  ethical implications, **253–264**
  maintaining personal and professional standards and, 259, 260
  process of developing a relationship, 255, 256
  research findings, 254–257
  staff perspective on, 257–260
  status of special relationships, 258, 259
  supporting and rewarding staff in, 261, 262
Renal function tests, 687, 694–695
Reproduction, spinal cord injury and, 603–604
Rheumatoid arthritis, case study, **595–602**
Rheumatoid factor analysis, 597, 690
RICEM, 619–620
Robb, Isabel H., 315

St. Bonaventure, theory of aging of, 559
Santa Cruz, Ponce, 559
Scaphoid fractures, in adolescent athletes, 622–623
Schizophrenia, 220, 221, 223
Scintigraphy, 698–699
Selective estrogen receptor modulators, in osteoporosis, 579
Semmes-Weinstein monofilament, in diabetic foot disease, 634
Senegalese woman, prenatal care for, case study, 354–359
Separation anxiety disorder, 141
Septic arthritis, rheumatoid arthritis versus, 599
SERMs, in osteoporosis, 579
Serotonin reuptake inhibitors, 218, 221
  in fibromyalgia syndrome, 664–665
Sex, unprotected, crack cocaine use and, 17, 18
Sexually transmitted diseases, crack cocaine use and, 17, 18
Sexual orientation of adolescents, and risk of substance abuse, 37
SHADESS, 626
Shoecovers, 679
Shoulders, examination, 647
  injuries in adolescent athletes, 623–624
Skier's thumb, 623
Skin, preoperative preparation of, 680
Sleep problems of elderly, new approaches to, 393
Slipped capital femoral epiphysis, in adolescent athletes, 624
Smoking, by adolescents, 68–70
  in the United States, 61, 62
  in diabetic foot disease, 633, 637
Smoking cessation, by adolescents, 68–71
  Agency for Health Care Policy and Research clinical practice guideline for, 62–64

by elderly, 67
in ethnic and racial minority groups, 68
gender differences in, 66
interventions for, 64, 65
identification of smokers, 64
in nursing practice, **61–74**
nicotine replacement therapy for, 62, 63
by pregnant women, 66, 67
skills training and problem solving for, 63, 64
social support for, 63
in special populations, 65–68
treatment in, 64, 65
Social support, companion animals for, 703–708
concept of, 701–703
Sodium, testing for, 690–691
Soft-tissue injuries, in adolescent athletes, 619–620
Spasticity, in pregnant women with spinal cord injuries, 608
Spinal cord injuries, causes in women, 604
pregnancy and. See *Pregnancy, spinal cord injury in.*
Splints, for developmental dysplasia of hip, 587
Splitting, in borderline personality disorder, 177–179
Spondylitis, ankylosing, rheumatoid arthritis versus, 598
Sports injuries in adolescents, **615–628**
adolescent as client, 615–616
epidemiology, 616–617
evaluation, 617–618
female athlete triad, 625
presentation via preparticipative sports examination, 618
special concerns in adolescent athlete, 625–626
treatment goals, 619
by type/anatomy, elbow, 623
hand, 622–623
hip and femur, 624
knee, 621–622
overuse, 622
quadriceps, 624–625
shoulder, 623–624
soft tissue, 619–620
Sprains, ankle, in adolescent athletes, 620
Steroids, anabolic, adolescent use of, 31
Stimulants, withdrawal from, 90, 91
Strains, in adolescent athletes, hip and femur, 624
quadriceps, 624–625
Substance abuse, 1, 2. See also *Addiction.*
by adolescents, consequences, 34
current trends, 30–34
gender differences in, 31, 32
identification and assessment, 39, 40
interventions, **29–45**
patterns of, 32–34
prevention, 37–39
risk factors, 34–37
treatment, 42, 43
in antisocial personality disorder, 182
in pain treatment. See *Pain, substance abuse concerns in treatment of.*
Substance dependence. See *Addiction.*
Suicide, in adolescent athletes, 626
risk of, in psychotic patients, 196, 197
Swelling, after musculoskeletal trauma, 649–650
Syphilis, congenital, crack cocaine use and, 17, 18
Systemic lupus erythematosus, rheumatoid arthritis versus, 598

Talipes equinovarus, 591
Temporomandibular joint assessment, 646–647
Tennis elbow, 623
Testing, in orthopedic nursing, **685–700**
for electrolytes, 687, 690–693
for enzymes, 687, 693–694
for infection and inflammation, 686, 687–690
joint fluid analysis, 699
for nitrites and leukocyte esterase, 695–696
nurse's role with diagnostic procedures, 696
point of care, 686–687
radiology, 696–699
renal, 687, 694–695
rheumatoid arthritis, 596–598, 600
Thrombophlebitis, in pregnant women with spinal cord injuries, 609
Tobacco. See also *Smoking; Smoking cessation.*
chewing, use by adolescents, 70
Tolerance, and addiction, 50
Touch, therapeutic, for anxiety disorders, 149
Transplantation. See *Organ donation.*
Trauma, musculoskeletal, swelling after, 649–650
Tricyclic antidepressants, 218, 219
in fibromyalgia syndrome, 664–665

Ulcers, decubitus, in pregnant women with spinal cord injuries, 608
diabetic foot, pathophysiology, 632
treatment of, 637–639
pressure, new approaches to, 391
Ulnar collateral ligament tears, in adolescent athletes, 623
Upper extremity examination, 647–648
Upper plexus palsy, in newborns, 587
Uric acid, testing, 695

Urinary incontinence. See *Incontinence, urinary.*
Urinary tract infections, in pregnant women with spinal cord injuries, 608–609
  testing for, 695–696

Vallensis, Hieronymus, 560
Vallesius, Carolus, 559
Vascular disease, peripheral, in diabetes, 631
Ventilation systems, in operating rooms, 677
Villanova, Arnald de, 560, 563
Violence, in adolescent athletes, 626
  family, assessment of, 208–210
    child abuse as, mental health interventions in, 211
    and children, 202, 203
    dynamics of, 206
    and elderly, 203, 204, 211
    evaluation and management of, 207, 208
    legal and reporting issues in, 212, 213
    mental health and, **201–215**
    prevention of, 207
    referrals for, 212
    and research on men and women, 202
    substance abuse and, 204
    symptoms of victims of, 204–206
    treatment of, 210, 211
Vitamin D, in osteoporosis, 575

Weakness, muscular, assessment of, 644–645
Westergren erythrocyte sedimentation rate. See *Erythrocyte sedimentation rate.*
White blood cell count and differential, 687–688
Withdrawal. See *Drug withdrawal.*
Women, osteoporosis in. See *Osteporosis in women.*
Working relationships. See *Nurse-physician working relationships.*
Wound healing, in diabetic foot disease, 631–632

Zerbi, Gabriele, 558, 563, 565